


**HANDICAPPED RAMP**

**NOTES:**

1. RAMPS SHALL BE CONSTRUCTED PER AMERICAN PUBLIC WORKS ASSOCIATION STD. PLAN # 111-2 AND/OR CALTRANS STD. PLANS A88A-A88B WITH THE APPROVAL BY THE CITY ENGINEER.
2. WHERE PARKWAY IS LESS THAN 8' OR CURB FACE IS GREATER THAN 8', A SPECIAL DESIGN MUST BE SUBMITTED TO THE CITY ENGINEER FOR APPROVAL & TO ENSURE SLOPE DOES NOT EXCEED 8.33%.
3. ALL CURB RAMPS SHALL HAVE 4'x3' TRUNCATED DOME PAD.
4. IF HANDICAPPED RAMP IS DESIRED BY THE CITY AND WILL BE LOCATED OUTSIDE OF PUBLIC ROW, A SIDEWALK EASEMENT SHALL BE DEDICATED TO THE CITY OF WESTMINSTER.



APPROVED:

*[Signature]*

P.W. DIRECTOR / CITY ENGINEER

REVISED DATE: 9/27/21



**City of Westminster**  
DEPARTMENT OF PUBLIC WORKS

**RESIDENTIAL STREET  
SIDEWALK RETURN**

STANDARD NUMBER

**204**